

SANTO

PRODUCT DATA SHEET



SANTO

DESIGN: EDLEF BANDIXEN, 1969

An iconic chair that has been numerously seen in religious facilities. A Dietiker classic that is characterized by modernity and a minimalism. Available in beech.



TECHNICAL DATA

CONSTRUCTION

Robust solid beech stacking chair based on traditional frame construction
Straight legs, cross section 45/30 mm, cambered
Stable frame, cross section 60/27 with double mortise and tenon joints at sides
Solid beech back 110/50 mm, form milled
Moulded plywood seat, 5-ply, approx. 6 mm thick, contoured seat shape

CONFIGURATIONS

Standard: Seat and back in beech
Option: Woven cord seat
Upholstered seat
Flame-retardant foam padding
Armpads on back

TYPE OF WOOD

Standard: Beech


WOOD SURFACE TREATMENT

Stained with highly light-fast, water-based stain (dye/pigment) on request.
Coated with 2-component, water-based polyurethane lacquer that has excellent light-fast properties and acts as a UV filter.
Meets highest standards according to DIN 68861 and complies with increased fire safety requirements (flame-retardant).

GLIDES

Standard: Plastic
Option: Felt
Plastic silent
Teflon

DIMENSIONS



Weight	6.5 kg
Fabric need	0.53 lfm.
Leather need	0.41 m ²
Load up to	110 kg
Stackable	Yes



SANTO OVERVIEW



Chair



Linking device, connecting board



Book holder



Bolt row connection



Details



Transport cart "Multi"



Transport cart