

# ATOS I / ATOS II

PRODUCT DATA SHEET



**Dietiker**  
SINCE 1873

# ATOS I / ATOS II

DESIGN: EDLEF BANDIXEN, 1963

The Atos range is a classic modern table collection that offers a solid and durable solution for various applications. Used as a singular table or configured for seminar rooms. Atos I and Atos II are built on the same principal and offer two alternative designs. Atos I and II are available with various elements: square, rectangle and trapeze for modular configuration. The Atos range is available in HPL, veneer or Linoleum on request. It comes with optional modesty panel, table to table connection and cable management system.



## TECHNICAL DATA

### CONSTRUCTION

4-leg apron table construction  
Rectangular steel tube apron rails, 40/20/2 mm  
Tubular steel legs  $\varnothing$  35/2 mm, side apron rails and legs are welded together  
Long apron rails screwed to legs  
Table top screwed from underneath through the apron using countersunk screws, 3 mm spacer between table top and apron

### TABLE TOP

Base panel SPAN E1 22 mm, optionally with linoleum or veneer finish

### STEEL PARTS SURFACE TREATMENT

Chromed


### WOOD SURFACE TREATMENT

Stained with highly light-fast, water-based stain (dye/pigment) on request.  
Coated with 2-component, water-based polyurethane lacquer that has excellent light-fast properties and acts as a UV filter.  
Meets highest standards according to DIN 68861 and complies with increased fire safety requirements (flame-retardant).  
The same applies to solvent-based coatings used on oak.


### GLIDES

Adjustable glides in plastic, black

### DIMENSIONS



Coffee table



# ATOS I / ATOS II OVERVIEW

---



Table

Coffee table



---

## Details



Table to table connection



Cable management



Modesty panel